



19 Chapin Road - Building C, Pine Brook, NJ 07058
800.783.9424 | avantik-us.com

May 10, 2022

CERTIFICATE OF ANALYSIS

Product Name: 10% Neutral Buffered Formalin, 4x1 Gallon Case

Description: Avantik 10% Neutral Buffered Formalin, 4x1 Gallon Case

Product No.: RS4060

Lot No.: 28995

Date of Manufacture: 05/06/2022

Expiration Date: 2024-04-01

Materials:

	Part No.	Lot No.	Exp. Date
Container:	P1G-1Gal	910581, 910620, 910669, 910306, 910293	N/A
Lid:	CAP-1 Gal-RMS-38	20220127117	N/A
Chemical:	NBF-275G	2D012	2024-04-01
		2E001	2024-05-01
		2E002	2024-05-01

QC Testing:

LOT NUMBER: 2D012

PROPERTY	SPECIFICATION	RESULTS	PASS / FAIL
pH	6.90-7.10 @ 25°C	7.09 @ 25°C	PASS
Formaldehyde Concentration	9.5-10.5% (v/v)	10.31% (v/v)	PASS
Appearance	Clear with No Particulate	Clear	PASS
Labeling	Correct Lot Number and Exp. Date	Correct	PASS

LOT NUMBER: 2E001

PROPERTY	SPECIFICATION	RESULTS	PASS / FAIL
pH	6.90-7.10 @ 25°C	6.93 @ 25°C	PASS
Formaldehyde Concentration	9.5-10.5% (v/v)	10.00% (v/v)	PASS
Appearance	Clear with No Particulate	Clear	PASS
Labeling	Correct Lot Number and Exp. Date	Correct	PASS

LOT NUMBER: 2E002

PROPERTY	SPECIFICATION	RESULTS	PASS / FAIL
pH	6.90-7.10 @ 25°C	6.92 @ 25°C	PASS
Formaldehyde Concentration	9.5-10.5% (v/v)	10.16% (v/v)	PASS
Appearance	Clear with No Particulate	Clear	PASS
Labeling	Correct Lot Number and Exp. Date	Correct	PASS



32 Commerce Street, Springfield, NJ 07081
888.392.8411 | www.avantik-us.com

Latex Free: This product contains no latex

Created By:
James Osborn
Quality Associate