

SAFETY DATA SHEET

Revision Date 09-Sept-2020 Version 1

1. IDENTIFICATION

Product Name 10% Formalin Fixative, Unbuffered

Product Code RS4062

Recommended Use For laboratory, scientific, R&D or manufacturing use.

Distributor Avantik

19 Chapin Road - Building C Pine Brook, NJ 07058 Tel. (800) 783-9424

Emergency Telephone Call CHEMTREC 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Gases)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 4

Label elements

Signal word

Danger

Hazard statements

Harmful if inhaled. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. Causes damage to organs. Combustible liquid.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal



protective equipment as required. Use only outdoors or in a well-ventilated area. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Formaldehyde	50-00-0	3.5-4.0
Methyl alcohol	67-56-1	1.0-1.5

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Immediately flush with plenty of water for at least 15 minutes, separating eyelids

occasionally. Remove contact lenses if present. Get immediate medical attention.

Skin contact Wash thoroughly with soap and water while removing contaminated garments. Get medical

attention if irritation develops.

Inhalation Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion Do NOT induce vomiting unless instructed to do so by medical personnel. If conscious,

rinse mouth and give several glasses of water to drink. Never give anything by mouth to an

unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin, eye and respiratory tract irritation. If swallowed, causes GI disturbances.

May cause allergic skin reaction.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Specific hazards arising from the chemical

May cause sensitization by skin contact. The product causes irritation of eyes, skin and mucous membranes.

Hazardous combustion products

Carbon oxides. Formaldehyde.



Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode.

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical Properties -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in

confined areas. Use personal protective equipment as required.

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb spill with inert material, scoop up and containerize for disposal.

7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practice.

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store at 15C to 25C.

Incompatible materials Oxidizers. Bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	Ceiling: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
50-00-0		(vacated) TWA: 3 ppm unless	Ceiling: 0.1 ppm 15 min
		specified in 1910.1048	TWA: 0.016 ppm
		(vacated) STEL: 10 ppm 30 min	
		unless specified in 1910.1048	
		(vacated) Ceiling: 5 ppm_unless	
		specified in 1910.1048	
		STEL: 2 ppm see 29 CFR	
		1910.1048	
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	Skin	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³
		(vacated) STEL: 325 mg/m ³	
		(vacated) Skin	

Appropriate engineering controls

Engineering Controls Emergency showers, eyewash stations, ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.



Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear, colorless
Odor Odor threshold Clear threshol

pH No information available

Melting point / freezing point

Boiling point / boiling range

No information available
No information available

Flash point 85 C

Evaporation rateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available No information available Vapor pressure Vapor density No information available Relative density No information available Water solubility Miscible with water Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available No information available Kinematic viscosity

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Oxidizers. Bases.

Hazardous Decomposition Products Carbon oxides. Formaldehyde.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Harmful by inhalation.

Eye contact Risk of serious damage to eyes.

Skin contact May cause sensitization by skin contact.

Ingestion No data available.

Chemical Name Oral LD50 Dermal LD50 Inhalation LC50



Revision Date 09-Sept-2020

4492 - 10% Formalin Fixative, Unbuffered

Formaldehyde 50-00-0	= 100 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h
Methyl alcohol	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000
67-56-1			ppm (Rat)4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye irritation Risk of serious damage to eyes. Irritating to eyes.

SensitizationMay cause sensitization by skin contact.Germ cell mutagenicityContains a known or suspected mutagen.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Formaldehyde	A2	Group 1	Known	X
50-00-0		·		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Formaldehyde	-	0.032 - 0.226: 96 h Oncorhynchus	11.3 - 18: 48 h Daphnia magna
50-00-0		mykiss mL/L LC50 flow-through 100	mg/L EC50 Static 2: 48 h Daphnia
		- 136: 96 h Oncorhynchus mykiss	magna mg/L LC50
		mg/L LC50 static 22.6 - 25.7: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 23.2 - 29.7: 96 h	
		Pimephales promelas mg/L LC50	
		static 1510: 96 h Lepomis	
		macrochirus µg/L LC50 static 41: 96	
		h Brachydanio rerio mg/L LC50	
		static	
Methyl alcohol	-	13500 - 17600: 96 h Lepomis	-
67-56-1		macrochirus mg/L LC50	
		flow-through 18 - 20: 96 h	
		Oncorhynchus mykiss mL/L LC50	
		static 19500 - 20700: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 28200: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 100: 96 h Pimephales	
		promelas mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Formaldehyde	0.35
50-00-0	
Methyl alcohol	-0.77
67-56-1	

4492 - 10% Formalin Fixative, Unbuffered

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Emptied containers may contain residue. Continue to follow label

warnings after container is emptied.

	Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Γ	Formaldehyde	U122	Included in waste streams:	-	U122
	50-00-0		K009, K010, K038, K040,		
L			K156, K157		
Γ	Methyl alcohol	-	Included in waste stream:	-	U154
	67-56-1		F039		

Chemical Name	California Hazardous Waste Status
Formaldehyde	Toxic
50-00-0	Ignitable
Methyl alcohol	Toxic
67-56-1	Ignitable

14. TRANSPORT INFORMATION

Transportation information is provided as a general reference only and may not be applicable in all situations. This information applies to non-bulk shipments only. Per 49 CFR §173.22, it is the shipper's responsibility to ensure that all materials are properly packaged, classified and labeled prior to shipment.

DOT Not regulated

<u>IATA</u> Not regulated

15. REGULATORY INFORMATION

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Formaldehyde - 50-00-0	0.1
Methyl alcohol - 67-56-1	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name CWA - Reportable CWA - Toxic Pollutants CWA - Priority Pollutants CWA - Hazardous Substances
--



4492 - 10% Formalin Fixative, Unbuffered

Revision Date 09-Sept-2020

Formaldehyde	100 lb	-	-	X
50-00-0				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ſ	Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
١	50-00-0			RQ 45.4 kg final RQ
Γ	Methyl alcohol	5000 lb	-	RQ 5000 lb final RQ
-	67-56-1			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Formaldehyde - 50-00-0	Carcinogen	
Methyl alcohol - 67-56-1	Developmental	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Formaldehyde 50-00-0	Х	X	Х
Methyl alcohol 67-56-1	Х	X	Х

16. OTHER INFORMATION

Avantik (Email: info@avantik-us.com) **Prepared By**

Revision Date 09-Sept-2020

Disclaimer

Avantik makes no representation as to the comprehensiveness or accuracy of this document. Individuals using this information, or the product to which it refers, must exercise their independent judgment in determining all appropriateness for a particular purpose. Accordingly, Avantik will not be responsible for damages of any kind or nature resulting from the use of this information or the corresponding product. No representations or warranties of any kind or nature, including but not limited to: express warranties, implied warranties or merchantability, or warranties of fitness for a particular purpose, are made hereunder with respect to the information set forth herein or to the product to which the information refers.

End of Safety Data Sheet