



Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information SE3082

Trade name : Synfluid® PAO 4 cSt

Material : 1111739, 1111738, 1111733, 1079673, 1079928, 1079872, 1079835, 1079712, 1079702

Use : Synthetic Lubricants

Company : Avantik
19 Chapin Road - Building C
Pine Brook, NJ 07058

Emergency telephone:

Health :
866.392.8411 (North America)

Transport :
North America: Avantik (800) 783-9424

Responsible Department : Operations Department

E-mail address : info@avantik-us.com

Website : www.avantik-us.com

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS Classification and labelling according to JISZ 7252-2009 and JIS Z 7253 -2012 (GHS 2011)

Classification

: Aspiration hazard, Category 1

Labeling

Symbol(s) :

Signal Word : Danger

Hazard Statements : H304: May be fatal if swallowed and enters airways.

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

Precautionary Statements : **Response:**
P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P331: Do NOT induce vomiting.
Storage:
P405: Store locked up.
Disposal:
P501: Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: Composition/information on ingredients

Synonyms : Polyalphaolefin
PAO

Molecular formula : UVCB

Chemical Name	CAS-No.	Concentration	ENCS/ISHL number
1-Decene, homopolymer, hydrogenated	68037-01-4	100%	9-2375 (6)-1109

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : Move to fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes. If skin irritation persists, call a physician.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : 219 °C (426 °F)
Method: Cleveland Open Cup

Autoignition temperature : 343 °C (649 °F)

Unsuitable extinguishing : High volume water jet.

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

media

Special protective equipment for fire-fighters : Wear self contained breathing apparatus for fire fighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire and explosion protection : Normal measures for preventive fire protection.

Hazardous decomposition products : Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling**

Advice on safe handling : Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Contains no substances with occupational exposure limit values.

Engineering measures

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- | | | |
|--------------------------|---|---|
| Respiratory protection | : | Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Full-Face Supplied-Air Respirator. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. |
| Hand protection | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. |
| Eye protection | : | Eye wash bottle with pure water. Tightly fitting safety goggles. |
| Skin and body protection | : | Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Protective suit. Safety shoes. |
| Hygiene measures | : | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- | | | |
|----------------|---|------------------|
| Form | : | Liquid |
| Physical state | : | Liquid |
| Color | : | Clear, Colorless |
| Odor | : | Odorless |

Safety data

- | | | |
|--------------------------|---|---|
| Flash point | : | 219 °C (426 °F)
Method: Cleveland Open Cup |
| Autoignition temperature | : | 343 °C (649 °F) |
| Molecular formula | : | UVCB |

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

Boiling point/boiling range	: 414 °C (777 °F)
Vapor pressure	: 1.70 MMHG at 177 °C (351 °F)
Relative density	: 0.82, 15.6 °C(60.1 °F)
Viscosity, kinematic	: 16 cSt at 37.8 °C (100.0 °F)
Evaporation rate	: No data available

SECTION 10: Stability and reactivity

Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
--------------------	--

Possibility of hazardous reactions

Conditions to avoid	: No data available.
Materials to avoid	: Oxidizing solids. Oxidizing liquids.
Other data	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Synfluid® PAO 4 cSt Acute oral toxicity	: LD50: > 5,000 mg/kg Species: rat
Synfluid® PAO 4 cSt Acute inhalation toxicity	: LC50: > 5.2 mg/l Exposure time: 4 h Species: rat Sex: male and female Test atmosphere: dust/mist
Synfluid® PAO 4 cSt Acute dermal toxicity	: LD50: > 2,000 mg/kg Species: rat
Synfluid® PAO 4 cSt Skin irritation	: No skin irritation
Synfluid® PAO 4 cSt Eye irritation	: No eye irritation

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

Sensitization1-Decene, homopolymer,
hydrogenated

: Classification: Did not cause sensitization on laboratory animals.

**Synfluid® PAO 4 cSt
Aspiration toxicity**: May be fatal if swallowed and enters airways.
Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity hazard.**CMR effects**1-Decene, homopolymer,
hydrogenated: Carcinogenicity: Not classifiable as a human carcinogen.
Mutagenicity: Animal testing did not show any mutagenic effects.
Teratogenicity: Did not show teratogenic effects in animal experiments.
Reproductive toxicity: No toxicity to reproduction**Synfluid® PAO 4 cSt
Further information**

: Solvents may degrease the skin.

SECTION 12: Ecological information**Ecotoxicity effects****Toxicity to fish**: LC50: > 1,000 mg/l
Exposure time: 96 h
Species: Salmo gairdneri (Rainbow trout)LC50: > 750 mg/l
Exposure time: 96 h
Species: Pimephales promelas (fathead minnow)**Toxicity to daphnia and
other aquatic invertebrates**: EC50: 190 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)**Toxicity to algae**1-Decene, homopolymer,
hydrogenated: NOELR: 1,000 mg/l
Exposure time: 72 h
Species: Scenedesmus capricornutum (fresh water algae)
static test Method: OECD Test Guideline 201**Bioaccumulation**1-Decene, homopolymer,
hydrogenated

: This material is not expected to bioaccumulate.

Biodegradability

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

1-Decene, homopolymer, hydrogenated : Expected to be inherently biodegradable.

Ecotoxicology Assessment

Results of PBT assessment

1-Decene, homopolymer, hydrogenated : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information : No data available

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the MSDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation****Poisonous and Deleterious Substances Control Law**

: Not relevant

Industrial Safety and Health Law

Substances Subject to be : Not relevant
Notified Names

Hazardous Substances : Not relevant
Subject to Labeling
Requirements

Ordinance on Prevention of : Not relevant
Organic Solvent Poisoning

Chemical Substance Control Law

: Not relevant

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

: Not relevant

Other regulations**Notification status**

Europe REACH	:	On the inventory, or in compliance with the inventory
United States of America TSCA	:	On the inventory, or in compliance with the inventory
Canada DSL	:	On the inventory, or in compliance with the inventory
Australia AICS	:	On the inventory, or in compliance with the inventory

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

New Zealand NZIoC	:	On the inventory, or in compliance with the inventory Notification number: HSR002606
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information**Further information**

Legacy SDS Number : 3332

NSF H1, HX-1 Registered, meets USDA 1998 H1 Guidelines

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act

Synfluid® PAO 4 cSt

Version 1.10

Revision Date 2014-06-03

KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		