

1. Identification

1-800-783-9424

Product Name: Aniline Blue (MSB) Stain

Synonyms: Special Stain Recommended Use: Laboratory Reagent Manufacturer/Supplier: Avantik 19 Chapin Road - Building C Pine Brook, NJ 07058 Item #:

Restrictions on Use: Any use other than recommended In Case of Emergency: Chemtrec US 1-800-424-9300 Chemtrec International 703-527-3887

2. Hazards Identification

OSHA Hazard Classification(s): Skin Irritation - Category 2 Eye Irritation - Category 2A Signal Word: Warning Hazard Statement(s): Causes skin irritation. Causes serious eye irritation. Pictogram(s):



Precautionary Statement(s): Prevention: Wash body thoroughly after handling. Wear protective gloves. Wear eye protection, face protection.

Response: If on skin: Wash with plenty of water. Specific treatment (see first aid section on this label). If skin irritation or rash occurs: Get medical attention. Take off all contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing If eye irritation persists: Get medical attention.

Storage: N/A

Disposal: N/A Descriptions of Hazards not otherwise classified: N/A Percent of mixture with unknown acute toxicity: N/A

3. Composition and Information on Ingredients

Chemical Name	Common Name	CAS #	Concentration %
Aniline Blue		28631-66-4	Trade Secret
Water		7732-18-5	Trade Secret
Glacial Acetic Acid		64-19-7	Trade Secret

4. First Aid Measures

Eye Contact: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: If on skin (or hair): Take off immediately all contaminated clothing and wash before reuse. Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.

Inhalation: Remove to fresh air; give artificial respiration if breathing has stopped. Get medical advice/attention if you feel unwell. **Ingestion:** Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Get medical attention.

Symptoms: Irritation eyes, nose, throat; headache, dizziness

Recommendations for immediate medical care/special treatment: Get medical advice/attention if you feel unwell.



5. Fire- Fighting Measures

Extinguishing Media: Dry chemical, carbon dioxide, alcohol foam, water.

Fire Hazards (Chemical): Not flammable.

Special Protective Equipment: Fire fighters should use self-contained breathing apparatus and protective clothing. **Precautions for Firefighters:** Fire fighters should use self-contained breathing apparatus and protective clothing.

6. Accidental Release Measures

Emergency Procedures: Evacuate the area of all unnecessary personnel. Wear suitable protective equipment. Eliminate all sources of ignition and provide ventilation.

Protective Equipment: See section 8

Environmental Precautions: Prevent release to the environment by using barriers.

Containment and Clean-Up Procedures: Use barriers to prevent spreading. Collect spill in container. Call waste authorities.

7. Handling and Storage

Handling: Do not breathe vapors. Do not eat, drink or smoke when using this product. **Storage:** Store in a well-ventilated place. Keep cool. Keep lid tightly closed.

8. Exposure Controls/Personal Protection

OSHA Permissible Exposure Limits (PELs):

Reagent	CAS #	OSHA PEL TWA
Glacial Acetic Acid	64-19-7	10ppm

ACGIH Threshold Limit Values (TLVs):

Reagent	CAS #	ACGIH PEL TLV	ACGIH STEL
Glacial Acetic Acid	64-19-7	10 ppm, 25 mg/m3	15 ppm, 37 mg/m3

Engineering Controls: Use in a well ventilated area to prevent exposure. Maintain eyewash fountain and quick-drench facilities in work areas.

Personal Protective Measures: Wear gloves, lab coat, eye protection and impervious footwear. Contact lenses should not be worn when working with this material.

Special PPE Requirements: If ventilation hood not available wear respirator.

9. Physical and Chemical Properties Section

Appearance: Dark Blue, Liquid Molecular Weight: N/A Molecular Formula: N/A pH: N/A Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flash Point: N/A Specific Gravity/Relative Density: N/A Odor: Characteristic of vinegar Odor Threshold: N/A Color: Dark Blue Flammability (solid/gas): N/A Vapor Density: N/A Upper/Lower flammability or explosive limits: N/A



Evaporation Rate: N/A Partition Coefficient: n-octanol/water: N/A Viscosity: N/A Auto-ignition temperature: N/A Solubility: Soluble in water. Decomposition Temperature: N/A

10. Stability and Reactivity

Reactivity: N/A Chemical Stability: Stable Conditions of Stability/Instability: Stable under normal conditions of temperature and pressure. Stabilizers needed: None Safety issue indicated by appearance change: N/A Other: N/A Hazardous Reactions: N/A Hazardous Polymerization: Does not occur Conditions to avoid: N/A Classes of Incompatible Materials: Oxidizers, Strong Acids, Strong Bases Hazardous Decomposition Products: Thermal-oxidation degradation can produce oxides of carbon. Toxic gases and vapors (I.e. Carbon monoxide) may be released in a fire.

11. Toxicological Information

Likely Routes of Exposure

Eyes: Irritation. May cause permanent damage. Very basic solution.

Skin: Irritation. May cause mild irritation, redness, cracking, drying or permanent damage. Very basic solution.

Inhalation: Dizziness, headache. Irritation to respiratory tract. High concentrations may cause central nervous system depression with weakness, drowsiness, nausea, vomiting, diarrhea, fatigue or loss of consciousness.

Ingestion: Nausea, headache, double vision. May cause unconsciousness.

Signs or Symptoms of Exposure: Nausea, dizziness, headache, diarrhea.

Effects from short term exposure (delayed, immediate, chronic): Irritation to the eyes, nose, throat; headache, dizziness, nausea.

Acute Toxicity (Numerical Measures): Glacial Acetic Acid: IDLH= 125 mg/m3 =50ppm LD50 (mammal, skin)=1060mg/kg LD50 (rabbit, skin)=1060 mg/kg ihl mus LC50 5620 ppm/1H ihl mus LC50 5620 mg/m3/1H

Carcinogenicity (NTP, IARC, OSHA): Does not contain any known or suspect carcinogens.

12. Ecological Information

Ecotoxicity: Effects Data for 100% Glacial Acetic Acid 96 h LC-50 (fathead minnow): > 100mg/L 48 h LC-50 (golden orfe): 410 mg/L 48 h LC-50 (mosquito fish): 251 mg/L 96 h LC-50 (daphnid): > 100 mg/L

Persistence and degradability: N/A

Bioaccumulation Potential (octanol-water partition coefficient, BCF): Oxygen Demand Data for 100% Glacial Acetic Acid BOD-5: 340-880 mg/g BOD-20: 900 mg/g COD: 1,030 mg/g

Mobility in the soil: N/A

Adverse Environmental Effects: This material is a strongly acidic aqueous solution, and this property may cause adverse environmental effects.

13. Disposal Considerations

Recommended Disposal Containers: Check with your local waste authorities*

Recommended Disposal Methods: Do not dispose of in drains, check with your local waste authorities.*

Physical/Chemical Properties affecting Disposal: See section 2 and section 9 applicable information.*



Special Precautions for Landfill and Incineration Activities: Check with your local waste authorities.* Waste Stream: Consult your local or regional authorities.*

14. Transport Information

UN Number: Not applicable. UN Proper Shipping Name: Transport Hazard Class(es): Packing Group Number: Environmental Hazards (IMDG code): Marine Pollutant: Transport in Bulk (IBC Code): Special Transport Precautions:

15. Regulatory Information

OSHA: N/A DOT: N/A EPA: N/A CPSC: N/A





Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.