

## Safety Data Sheet

Creation Date 17-May-2010

Revision Date 02-Oct-2012

Revision Number 1

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** Aqua-Mount**Cat No.** TA-125-AM**Synonyms** No information available.**Recommended Use** Laboratory chemicals**Company**

Avantik  
19 Chapin Road - Building C  
Pine Brook, NJ 07058  
Toll Free: 800-783-9424  
Fax #: 973-232-0076  
avantik-us.com

**Emergency Telephone Number**

Chemtrec US: (800) 424-9300  
Chemtrec EU: 001 (202) 483-7616

### 2. HAZARDS IDENTIFICATION

**CAUTION!****Emergency Overview**

May cause eye, skin, and respiratory tract irritation . The toxicological properties have not been fully investigated.

**Appearance** Colorless**Physical State** Liquid**odor** odorless**Target Organs** None known.**Potential Health Effects****Acute Effects****Principle Routes of Exposure****Eyes**

May cause irritation.

**Skin**

May cause irritation. May be harmful in contact with skin.

**Inhalation**

May cause irritation of respiratory tract. May be harmful if inhaled.

**Ingestion**

May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Chronic Effects** None known.

See Section 11 for additional Toxicological information.

**Aggravated Medical Conditions** No information available.

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Haz/Non-haz**

Component	CAS-No	Weight %
Water	7732-18-5	95-100
Polyvinyl alcohol	9002-89-5	< 2
Tris (hydroxymethyl) aminomethane	77-86-1	< 1
Sodium azide	26628-22-8	< 0.1

**4. FIRST AID MEASURES**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Do not induce vomiting. Obtain medical attention.
<b>Notes to Physician</b>	Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

<b>Flash Point</b>	Not applicable
<b>Method</b>	No information available.
<b>Autoignition Temperature</b>	No information available.
<b>Explosion Limits</b>	
<b>Upper</b>	No data available
<b>Lower</b>	No data available
<b>Suitable Extinguishing Media</b>	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire..
<b>Unsuitable Extinguishing Media</b>	No information available.
<b>Hazardous Combustion Products</b>	No information available.
<b>Sensitivity to mechanical impact</b>	No information available.
<b>Sensitivity to static discharge</b>	No information available.

**Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**NFPA**                      **Health** 1                      **Flammability** 0                      **Instability** 0                      **Physical hazards** N/A

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.
<b>Environmental Precautions</b>	Should not be released into the environment.
<b>Methods for Containment and Clean Up</b>	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.. Do not flush down the drain. Sodium azide may react with plumbing systems to form highly explosive compounds.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Wear personal protective equipment. Ensure adequate ventilation. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. Do not flush down the drain. Sodium azide may react with plumbing systems to form highly explosive compounds.
<b>Storage</b>	Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Engineering Measures</b>	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
-----------------------------	---

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium azide	Ceiling: 0.29 mg/m <sup>3</sup> Ceiling: 0.11 ppm	Skin (Vacated) Ceiling: 0.1 ppm (Vacated) Ceiling: 0.3 mg/m <sup>3</sup>	Ceiling: 0.1 ppm Ceiling: 0.3 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Sodium azide	Ceiling: 0.11 ppm Ceiling: 0.3 mg/m <sup>3</sup>		CEV: 0.29 mg/m <sup>3</sup> CEV: 0.11 ppm

**NIOSH IDLH:** Immediately Dangerous to Life or Health

### Personal Protective Equipment

#### Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

#### Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Liquid
<b>Appearance</b>	Colorless
<b>odor</b>	odorless
<b>Odor Threshold</b>	No information available.
<b>pH</b>	Not applicable
<b>Vapor Pressure</b>	No information available.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Vapor Density	No information available.
Viscosity	No information available.
Boiling Point/Range	Not applicable
Melting Point/Range	No information available.
Decomposition temperature	No information available.
Flash Point	Not applicable
Evaporation Rate	No information available.
Specific Gravity	No information available.
Solubility	No information available.
log Pow	No data available
Molecular Formula	Solution

**10. STABILITY AND REACTIVITY**

Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat.
Incompatible Materials	Strong acids
Hazardous Decomposition Products	Thermal decomposition can lead to release of irritating gases and vapors
Hazardous Polymerization	Hazardous polymerization does not occur
Hazardous Reactions .	Do not flush down the drain. Sodium azide may react with plumbing systems to form highly explosive compounds.

**11. TOXICOLOGICAL INFORMATION****Acute Toxicity**

Product Information	No acute toxicity information is available for this product
---------------------	---

**Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation (Dust)
Water	90 mL/kg ( Rat )	Not listed	Not listed
Polyvinyl alcohol	20 g/kg ( Rat )	Not listed	>20 mg/m <sup>3</sup> /h (rat)
Tris (hydroxymethyl) aminomethane	5900 mg/kg ( Rat )	Not listed	Not listed
Sodium azide	27 mg/kg ( Rat )	20 mg/kg ( Rabbit ) 50 mg/kg ( Rat )	Not listed

Irritation	No information available.
------------	---------------------------

Toxicologically Synergistic Products	No information available.
--------------------------------------	---------------------------

**Chronic Toxicity**

Carcinogenicity	There are no known carcinogenic chemicals in this product
-----------------	---

<b>Sensitization</b>	No information available.
<b>Mutagenic Effects</b>	No information available.
<b>Reproductive Effects</b>	No information available.
<b>Developmental Effects</b>	No information available.
<b>Teratogenicity</b>	No information available.
<b>Other Adverse Effects</b>	The toxicological properties have not been fully investigated.. See actual entry in RTECS for complete information.
<b>Endocrine Disruptor Information</b>	No information available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Polyvinyl alcohol	Not listed	Lepomis macrochirus: LC50=10mg/L 96h	Not listed	EC50=8.3 mg/L 48h
Sodium azide	Not listed	0.8 mg/L LC50 96 h 0.7 mg/L LC50 96 h 5.46 mg/L LC50 96 h	Not listed	Not listed

**Persistence and Degradability** No information available

**Bioaccumulation/ Accumulation** No information available

**Mobility** .

Component	log Pow
Water	-1.87

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

**TDG** Not regulated

## 14. TRANSPORT INFORMATION

**IATA** Not regulated

**IMDG/IMO** Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Water	X	X	-	231-791-2	-		X	-	X	X	X
Polyvinyl alcohol	XU	X	-	-	-		X	X	X	X	X
Tris (hydroxymethyl) aminomethane	X	X	-	201-064-4	-		X	X	X	X	X
Sodium azide	X	X	-	247-852-1	-		X	X	X	X	X

#### Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

**TSCA 12(b)** Not applicable

**SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Sodium azide	26628-22-8	< 0.1	1.0

### SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### Clean Water Act

Not applicable

**Clean Air Act**

Not applicable

**OSHA**

Not applicable

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium azide	1000 lb	1000 lb

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**State Right-to-Know**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium azide	X	X	X	-	X

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** No information available

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

Non-controlled

**16. OTHER INFORMATION**

**Prepared By** Regulatory Affairs  
Richard Allan Scientific  
A Subsidiary of Thermo Fisher Scientific  
Tel: (800) 522-7270

**Creation Date** 17-May-2010

**Print Date** 02-Oct-2012

**Revision Summary** "\*\*\*\*", and red text indicates revision

**Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**