

# Safety Data Sheet

Creation Date 25-Jan-2010 Revision Date 27-Nov-2013 Revision Number 2

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Clarifier 1

Cat No.: 7401, 7441

Synonyms No information available.

Recommended Use Laboratory chemicals

Company
Richard Allan Scientific
A Subsidiary of Thermo Fisher Scientific

4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270 Emergency Telephone Number Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

#### 2. HAZARDS IDENTIFICATION

#### DANGER!

### **Emergency Overview**

Flammable liquid and vapor. Poison, may be fatal or cause blindness if swallowed. Cannot be made non-poisonous. Vapor harmful. Harmful if absorbed through skin or if inhaled. Irritating to eyes. May cause central nervous system effects. May cause skin and respiratory tract irritation. Aspiration hazard if swallowed - can enter lungs and cause damage. Possible risks of irreversible effects. This substance has caused adverse reproductive and fetal effects in humans. Toxic to aquatic organisms. Oxidizing agent.

Appearance Clear Physical State Liquid Odor aromatic

Target Organs Central nervous system (CNS), Eyes, Optic nerve, Blood, Liver, Kidney, spleen, Reproductive

System, Respiratory system, Gastrointestinal tract (GI), Teeth, Skin

**Potential Health Effects** 

**Acute Effects** 

**Principle Routes of Exposure** 

Eyes Irritating to eyes.

**Skin** Harmful in contact with skin. May cause irritation.

**Inhalation** Harmful by inhalation. Vapor harmful. Inhalation may cause central nervous system effects.

May cause irritation of respiratory tract.

Ingestion May be fatal or cause blindness if swallowed. Aspiration hazard. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

**Chronic Effects**This substance has caused adverse reproductive and fetal effects in humans. Tumorigenic

effects have been reported in experimental animals.. May cause adverse liver effects. May

cause adverse kidney effects.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions Central nervous system disorders. Gastrointestinal tract. Preexisting eye disorders. Liver

disorders. Skin disorders. Kidney disorders.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	CAS-No	Weight %
Acetic acid	64-19-7	5 - 9.9
Isopropyl alcohol	67-63-0	4 - 5
Ethyl alcohol	64-17-5	70 - 76
Methyl alcohol	67-56-1	4 - 5
Water	7732-18-5	5 - 10

# 4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention

is required.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Immediate medical attention is required.

Ingestion Call a physician or Poison Control Center immediately. Do not induce vomiting.

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Flash Point 20.6°C / 69.1°F

**Method** - No information available.

Autoignition Temperature No information available.

**Explosion Limits** 

Upper No data available
Lower No data available

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide. Use water spray to cool unopened containers.

Unsuitable Extinguishing Media No information available.

Hazardous Combustion Products No information available.

Sensitivity to mechanical impact
Sensitivity to static discharge
No information available.
No information available.

# **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 2 Flammability 3 Instability 0 Physical hazards N/A

### **6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions Use personal protective equipment. Remove all sources of ignition. Take precautionary

measures against static discharges. Do not get in eyes, on skin, or on clothing.

**Environmental Precautions** Should not be released into the environment.

**Methods for Containment and Clean** 

Up

Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

**Handling**Use only under a chemical fume hood. Wear personal protective equipment. Use explosion-

proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe

vapors or spray mist. Do not get in eyes, on skin, or on clothing.

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat

and sources of ignition. Flammables area.

\_\_\_\_\_

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering Measures**

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic acid	TWA: 10 ppm	(Vacated) TWA: 10 ppm	IDLH: 50 ppm
	STEL: 15 ppm	(Vacated) TWA: 25 mg/m <sup>3</sup>	TWA: 10 ppm
		TWA: 10 ppm	TWA: 25 mg/m <sup>3</sup>
		TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm
			STEL: 37 mg/m <sup>3</sup>
Isopropyl alcohol	TWA: 200 ppm	(Vacated) TWA: 400 ppm	IDLH: 2000 ppm
	STEL: 400 ppm	(Vacated) TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(Vacated) STEL: 500 ppm	TWA: 980 mg/m <sup>3</sup>
		(Vacated) STEL: 1225 mg/m <sup>3</sup>	STEL: 500 ppm
		TWA: 400 ppm	STEL: 1225 mg/m <sup>3</sup>
		TWA: 980 mg/m <sup>3</sup>	
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm	IDLH: 3300 ppm
		(Vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		TWA: 1900 mg/m <sup>3</sup>	
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm
	STEL: 250 ppm	(Vacated) TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	Skin	(Vacated) STEL: 250 ppm	TWA: 260 mg/m <sup>3</sup>
		(Vacated) STEL: 325 mg/m <sup>3</sup>	STEL: 250 ppm
		Skin	STEL: 325 mg/m <sup>3</sup>
		TWA: 200 ppm	_
		TWA: 260 mg/m <sup>3</sup>	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Acetic acid	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
	TWA: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm
	STEL: 15 ppm	STEL: 15 ppm	
	STEL: 37 mg/m <sup>3</sup>	STEL: 37 mg/m <sup>3</sup>	
Isopropyl alcohol	TWA: 400 ppm	TWA: 400 ppm	TWA: 200 ppm
	TWA: 985 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	STEL: 400 ppm
	STEL: 500 ppm	STEL: 500 ppm	
	STEL: 1230 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>	
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm
-	TWA: 1880 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	
Methyl alcohol	Methyl alcohol TWA: 200 ppm		TWA: 200 ppm
	TWA: 262 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
	STEL: 250 ppm	STEL: 250 ppm	Skin
	STEL: 328 mg/m <sup>3</sup>	STEL: 310 mg/m <sup>3</sup>	
	Skin		

Legend

NIOSH IDLH: Immediately Dangerous to Life or Health

# **Personal Protective Equipment**

Eye/face Protection

Skin and body protection Respiratory Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166 Wear appropriate protective gloves and clothing to prevent skin exposure Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits

# 9. PHYSICAL AND CHEMICAL PROPERTIES

are exceeded or if irritation or other symptoms are experienced

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateLiquidAppearanceClearOdoraromatic

**Odor Threshold** No information available. Hq No information available. **Vapor Pressure** No information available. No information available. Vapor Density **Viscosity** No information available. **Boiling Point/Range** No information available. Melting Point/Range No data available **Decomposition temperature** No information available.

Flash Point 20.6°C / 69.1°F
Evaporation Rate No information available.
Specific Gravity No information available.
Solubility Soluble in water log Pow No data available

### **10. STABILITY AND REACTIVITY**

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Heat, flames and sparks.

Incompatible Materials Strong oxidizing agents, Acids, Acid anhydrides, Acid chlorides

Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Thermal

decomposition can lead to release of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur

Hazardous Reactions None under normal processing

# 11. TOXICOLOGICAL INFORMATION

### **Acute Toxicity**

**Product Information**No acute toxicity information is available for this product

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Acetic acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat)4 h		
Isopropyl alcohol	Isopropyl alcohol 5840 mg/kg(Rat)  Ethyl alcohol 7060 mg/kg(Rat)		72.6 mg/L (Rat)4 h		
Ethyl alcohol			20000 ppm/10H ( Rat )		
Methyl alcohol	5628 mg/kg ( Rat )	15800 mg/kg ( Rabbit )	64000 ppm (Rat)4 h 83.2 mg/L (Rat)4 h		

**Irritation** Severe eye irritant

**Toxicologically Synergistic** 

**Products** 

No information available.

**Chronic Toxicity** 

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Mexico	
Ethyl alcohol	A3	Group 1	Not listed	X	Not listed	

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

**Sensitization** No information available.

Mutagenic Effects Mutagenic effects have occurred in humans.

**Reproductive Effects** Adverse reproductive effects have occurred in humans...

**Developmental Effects** Substances known to cause developmental toxicity in humans.

**Teratogenicity** Teratogenic effects have occurred in humans...

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.. See actual entry in RTECS

for complete information.

**Endocrine Disruptor Information** No information available

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetic acid	Not listed	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8	EC50 = 95 mg/L/24h
Isopropyl alcohol	1000 mg/L EC50 > 72 h 1000 mg/L EC50 > 96 h	1400000 µg/L LC50 96 h 9640 mg/L LC50 96 h 11130 mg/L LC50 96 h	mg/L/5 min = 35390 mg/L EC50 Photobacterium phosphoreum 5 min	13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h
Ethyl alcohol	EC50 (72h) = 275 mg/l (Chlorella vulgaris)	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h
Methyl alcohol	Not listed	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	EC50 > 10000 mg/L 24h

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available

\_\_\_\_\_

### Mobility

Component	log Pow
Acetic acid	-0.2
Isopropyl alcohol	0.05
Ethyl alcohol	-0.32
Methyl alcohol	-0.74

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

### 14. TRANSPORT INFORMATION

DOT

**UN-No** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group ||

**TDG** 

**UN-No** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group

**IATA** 

**UN-No** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group ||

IMDG/IMO

**UN-No** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group ||

# **15. REGULATORY INFORMATION**

### **International Inventories**

Component	TSCA	DSL	NDSL	<b>EINECS</b>	<b>ELINCS</b>	NLP	PICCS	<b>ENCS</b>	AICS	CHINA	KECL
Acetic acid	Х	Χ	-	200-580-	-		Х	Х	Х	Χ	Χ
				7							

15. REGULATORY INFORMATION											
Isopropyl alcohol	Х	Х	-	200-661- 7	-		Х	Х	Х	Х	Х
Ethyl alcohol	Х	Х	-	200-578- 6	-		Х	Х	Х	Х	Х
Methyl alcohol	Х	Х	-	200-659- 6	-		Х	Х	Х	Х	Х
Water	Х	Х	-	231-791- 2	-		Х	-	Х	Х	Х

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### **U.S. Federal Regulations**

### TSCA 12(b) Not applicable

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	4 - 5	1.0
Methyl alcohol	67-56-1	4 - 5	1.0

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetic acid	X	5000 lb	-	-
Water	-	1 LB	-	-

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	X		-

**OSHA** Occupational Safety and Health Administration Not applicable

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetic acid	5000 lb	-
Methyl alcohol	5000 lb	-

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only a considered a Proposition 65 developmental hazard

when it is ingested as an alcoholic beverage.

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Ethyl alcohol	64-17-5	Developmental	-
Methyl alcohol	67-56-1	Methanol	-

#### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetic acid	X	X	Х	-	X
Isopropyl alcohol	X	X	X	-	X
Ethyl alcohol	X	X	Х	-	X
Methyl alcohol	X	X	X	X	X

#### U.S. Department of Transportation

Reportable Quantity (RQ): **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### **Other International Regulations**

Mexico - Grade No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

#### **WHMIS Hazard Class**

B2 Flammable liquid D1B Toxic materials D2A Very toxic materials D2B Toxic materials



# **16. OTHER INFORMATION**

Prepared By Regulatory Affairs

Richard Allan Scientific

A Subsidiary of Thermo Fisher Scientific

Tel: (800) 522-7270

Creation Date 25-Jan-2010

Print Date 27-Nov-2013

Revision Summary "\*\*\*", and red text indicates revision

#### Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**