

**SAFETY DATA SHEET**

Page 1/10

Review Date 08/22/2019

Revision Date 08/22/2019 V1.0

**1 Identification of the Substance/Mixture and Company****Product Name:** Clear Solv Mounting Medium 4 oz**Product Code:** SL6064**Product Description:** Mounting Medium**Contact Information:**

Avantik

19 Chapin Road - Building C

Pine Brook, NJ 07058

t 800.783.9424

f 973.232.0076

**Emergency Telephone Number:** Chemtrec 800-424-9300 (USA & Canada)**2 Hazards Identification****Classification of the substance or mixture**

GHS02 Flame

Flam. Liq. 3      H226 Flammable liquid and vapor.



GHS09 Environment

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

Skin Sens. 1      H317 May cause an allergic skin reaction.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02



GHS07



GHS09

**Signal word** Warning

# SAFETY DATA SHEET

Review Date 08/22/2019

Revision Date 08/22/2019

---

**Product Name: Clear Solv Mounting Medium 4 oz**


---

**Hazard-determining components of labeling:**

(R)-p-mentha-1,8-diene

**Hazard statements**

Flammable liquid and vapor.

Causes skin irritation.

May cause an allergic skin reaction.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep container tightly closed.

Use only non-sparking tools.

Avoid release to the environment.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Collect spillage.

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 1

Fire = 2

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 1

Fire = 2

Reactivity = 0

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

---

## 3 Composition

**Chemical characterization: Mixtures****Description:** Mixture of the substances listed below with nonhazardous additions.

# SAFETY DATA SHEET

Review Date 08/22/20196

Revision Date 08/22/2019

**Product Name: Clear Solv Mounting Medium 4 oz**
**Dangerous components:**

5989-27-5 (R)-p-mentha-1,8-diene

&lt;100%

## 4 First Aid Measures

**Description of first aid measures**
**General information:** Immediately remove any clothing soiled by the product.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** If symptoms persist consult doctor.

**Information for doctor:**
**Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

## 5 Firefighting Measures

**Extinguishing media**
**Suitable extinguishing agents:**
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
**For safety reasons unsuitable extinguishing agents:** Water with full jet

**Special hazards arising from the substance or mixture:** No further relevant information available.

**Advice for firefighters**
**Protective equipment:** No special measures required.

## 6 Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SAFETY DATA SHEET

Review Date 08/22/2019

Revision Date 08/22/2019

---

**Product Name: Clear Solv Mounting Medium 4 oz**

---

## 7 Handling and Storage

**Handling:****Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Keep receptacle tightly sealed.**Specific end use(s):** No further relevant information available.

## 8 Exposure Controls/Personal Protection

**Additional information about design of technical systems:** No further data; see item 7.**Control parameters****Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.**Exposure controls:****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# SAFETY DATA SHEET

Review Date 08/22/2019

Revision Date 08/22/2019

**Product Name: Clear Solv Mounting Medium 4 oz**
**Eye protection:** Tightly sealed goggles

## 9 Physical and Chemical Properties

**Information on basic physical and chemical properties**
**General Information**
**Appearance**

<b>Form:</b>	Liquid
<b>Color:</b>	Light yellow
<b>Odor:</b>	Aromatic
<b>Odor threshold:</b>	Not determined.

**pH-value:** Not determined.

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	176 °C (349 °F)

**Flash point:** 48 °C (118 °F)

**Flammability (solid, gaseous):** Not applicable.

**Ignition temperature:** 255 °C (491 °F)

**Decomposition temperature:** Not determined.

**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

**Explosion limits:**

<b>Lower:</b>	0.7 Vol %
<b>Upper:</b>	6.1 Vol %

**Vapor pressure at 20 °C (68 °F):** 2.3 hPa (2 mm Hg)

**Density:** Not determined.

**Relative density:** Not determined.

**Vapour density:** Not determined.

**Evaporation rate:** Not determined.

**Solubility in / Miscibility with**

**Water:** Not miscible or difficult to mix.

**Partition coefficient (n-octanol/water):** Not determined.

**Dynamic:** Not determined.

**Kinematic:** Not determined.

**Other information:** No further relevant information available.

## 10 Stability and Reactivity

**Reactivity:** No further relevant information available.

**Chemical stability:**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

## SAFETY DATA SHEET

Review Date 08/22/2019

Revision Date 08/22/2019

Product Name: Clear Solv Mounting Medium 4 oz

**Possibility of hazardous reactions:** No dangerous reactions known.**Conditions to avoid:** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicology Information

## Information on toxicological effects

## Acute toxicity:

## LD/LC50 values that are relevant for classification:

## 5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 4400 mg/kg (rat)

## Primary irritant effect:

**On the skin:** Irritant to skin and mucous membranes.**On the eye:** No irritating effect.**Sensitization:** Sensitization possible through skin contact.

## Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

## Carcinogenic categories

## IARC (International Agency for Research on Cancer)

5989-27-5 (R)-p-mentha-1,8-diene

3

## NTP (National Toxicology Program)

None of the ingredients are listed.

## OSHA-Ca (Occupational Safety &amp; Health Administration)

None of the ingredients are listed.

## 12 Ecological Information

## Toxicity:

**Aquatic toxicity:** No further relevant information available.**Persistence and degradability:** No further relevant information available.

## Behavior in environmental systems:

**Bioaccumulative potential:** No further relevant information available.**Mobility in soil:** No further relevant information available.

## Ecotoxicological effects:

**Remark:** Very toxic for fish

## Additional ecological information:

## General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

## Results of PBT and vPvB assessment

**PBT:** Not applicable.

## SAFETY DATA SHEET

Review Date 08/22/2019

Revision Date 08/22/2019

Product Name: Clear Solv Mounting Medium 4 oz

vPvB: Not applicable.






Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

## 14 Transport Information

UN-Number	UN2052
DOT, ADR, IMDG, IATA	
UN proper shipping name	Dipentene mixture
DOT	2052 Dipentene mixture, ENVIRONMENTALLY HAZARDOUS
ADR	DIPENTENE mixture, MARINE POLLUTANT
IMDG	DIPENTENE mixture
IATA	
Transport hazard class(es)	
DOT	
 	
Class	3 Flammable liquids
Label	3
ADR, IMDG	
 	
Class	3 Flammable liquids
Label	3
IATA	
	
Class	3 Flammable liquids
Label	3
Packing group	III
DOT, ADR, IMDG, IATA	
Environmental hazards	Product contains environmentally hazardous substances: (R)-p-mentha-1,8-diene

## SAFETY DATA SHEET

Review Date 08/22/2019

Revision Date 08/22/2019

Product Name: Clear Solv Mounting Medium 4 oz

<b>Marine pollutant:</b>	Yes
<b>Special marking (ADR):</b>	Symbol (fish and tree)
<b>Special precautions for user:</b>	Warning: Flammable liquids
<b>Danger code (Kemler):</b>	30
<b>EMS Number:</b>	F-E,S-E
<b>Stowage Category</b>	A
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>DOT</b>	
<b>Quantity limitations</b>	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
<b>Remarks:</b>	Special marking with the symbol (fish and tree).
<b>ADR</b>	
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>IMDG</b>	
<b>Limited quantities (LQ)</b>	5L
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>UN "Model Regulation":</b>	UN 2052 DIPENTENE MIXTURE, ENVIRONMENTALLY HAZARDOUS, 3, III, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture  
SARA

## Section 355 (extremely hazardous substances):

None of the ingredients are listed.

## Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

## TSCA (Toxic Substances Control Act):

All ingredients are listed.

## Proposition 65

## Chemicals known to cause cancer:

None of the ingredients is listed.

## Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.



## SAFETY DATA SHEET

Review Date 08/22/2019

Revision Date 08/22/2019

Product Name: Clear Solv Mounting Medium 4 oz

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**Carcinogenic categories****EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02    GHS07    GHS09

**Signal word** Warning**Hazard-determining components of labeling:**

(R)-p-mentha-1,8-diene

**Hazard statements**

Flammable liquid and vapor.

Causes skin irritation.

May cause an allergic skin reaction.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep container tightly closed.

Use only non-sparking tools.

Avoid release to the environment.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Collect spillage.

Take off contaminated clothing and wash it before reuse.

# SAFETY DATA SHEET

Review Date 08/22/2019

Revision Date 08/22/2019

---

**Product Name: Clear Solv Mounting Medium 4 oz**


---

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

**Department issuing SDS:** Regulatory Department**Contact:** Phone (888) 392-8411**Date of preparation / last revision** 08/22/2019**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.