Safety Data Sheet 94153 Gust® Air Duster



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc., product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy.		Product Name: Product Code:	Gust® Air Duster 94153
Quarryville, PA 17566		Product Use:	Duster
1-800-227-5538		24-hour emergency phone:	1-800-424-9300 [CHEMTREC]
2. HAZARD IDENTIFICATIO			
2. HAZARD IDEN INFICATION POTENTIAL HEALTH EFFECTS			
Classification of the chemical in accorda	ance with paragra	aph (d) of §1910.1200;	
GHS Hazard Symbols			
GHS Classification		pressure - Liquified Gas yxiant Category 1	
Signal Word	Warning		
Hazard Statements	Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation		
Precautionary Statements			
Storage	Protect from	sunlight. Store in a well-ventilated place.	

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	<u>CAS #</u>	<u>Percent</u>	
Halogenated hydrocarbon	811-97-2	80 - 100	
HMIS® III* HAZARDOUS WARNING Health: 1	S: Flammability: 0	Physical: 0	Personal See Section 8 Protective Equipment:

* See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES			
Eyes:	Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.		
Skin Contact:	In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.		
Ingestion:	Ingestion is an unlikely route of exposure.		
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.		

NOTES TO PHYSICIAN:

Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support.

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	Gas is not flammable at ambient temperatures and atmospheric pressure. However, this material may become
	combustible when mixed with oxygen or air under pressure or air above atmospheric pressure.Containers may
	rupture or explode under fire conditions.
Fire Fighting Instructions:	Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may
	be used from a safe distance to cool closed containers and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely.

7. HANDLING AND STORAGE

Handling:Use with adequate ventilation. Do not use near ignition sources. Do not breathe vapor. May cause frostbite.Storage:Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Do not store at
temperatures above 120 degrees F. Empty container may contain residues which are hazardous.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation should be adequate to prevent exposures above the limits in	ndicated below in this sect	tion of the MSDS (from
known, suspected or apparent adverse effects).		
Wear chemically resistant safety glasses with side shields when handling	ng this product. Wear add	litional eye protection such as
chemical splash goggles and/or face shield when the possibility exists t	for eye contact with splash	hing or spraying liquid or
		r repeated liquid contact with
skin.		1 1
A supplied air respirator should be used if ventilation is not sufficient t	o maintain exposure limit	ts. Use NIOSH approved
respirator where there is likelihood of inhalation of the product mist, sp	oray or aerosol.	11
		OTHER
<u>CAS#</u> <u>ACGIHTLV</u> <u>O</u>	<u>SHA PEL</u>	<u>OTHER</u>
	known, suspected or apparent adverse effects).Wear chemically resistant safety glasses with side shields when handlin chemical splash goggles and/or face shield when the possibility exists f airborne material. Do not wear contact lenses. Have an eye wash statio The use of chemically resistant gloves is recommended if there is any p skin.A supplied air respirator should be used if ventilation is not sufficient t respirator where there is likelihood of inhalation of the product mist, spCAS #ACGIH TLVQ	Wear chemically resistant safety glasses with side shields when handling this product. Wear add chemical splash goggles and/or face shield when the possibility exists for eye contact with splas airborne material. Do not wear contact lenses. Have an eye wash station available. The use of chemically resistant gloves is recommended if there is any possibility of prolonged o skin. A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limit respirator where there is likelihood of inhalation of the product mist, spray or aerosol. CAS # ACGIH TLV OSHA PEL

Halogenated hydrocarbon	811-97-2	Not established	Not established	1000ppm (mfr. recommend)
9. PHYSICAL AND CHEMI	CAL PROPERTIES			

7. THISICAL AND CHEWICAL I KOI EKTIES				
Physical State:		Lower Flammability Limit (%):	Not applicable	
Appearance:	None	Upper Flammability Limit (%):	Not applicable	
Odor:	Slight ethereal.	Vapor Pressure (PSIG @ 70°F):	80	
Odor Threshold:	Very faint	Vapor Density $[air = 1]$:	3.60	
pH:	Not applicable	Relative Density (H2O=1):	1.22	
Melting/Freezing Point (°F):	-150	Solubility in Water:	Negligible; 0-1%	
Boiling Point (°F):	No data available	Partial Coefficient: n- octanol/water:	1.06	
Flash Point (°F PMCC):	None	Autoignition Temperature (°F):	1382	
Evaporation Rate:	0.5-2 (n-Butyl acetate = 1)	Decomposition Temperature (°F):	482	
Flammability (solid, gas): Percent VOCs (%):	No data available < 0.0001	Viscosity, dynamic (cSt):	No data available	

10. STABILITY AND REACTION

Chemical Stability:	Stable. Do not mix with oxygen or air above atmospheric pressure. Any source of high temperature [>250 C], may form
	hydrofluoric acid and possibly carbonyl fluoride decomposition products.
Conditions to Avoid:	Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Avoid contact with: Alkali.
	Alkaline earth metals. Freshly abraded aluminum surfaces. Powdered metals. Magnesium. Zinc. Chemically active
	metals: calcium, powdered aluminum, zinc, sodium, potassium, magnesium, etc.
Decomposition Products:	This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming
	hydrofluoric acid and carbonyl fluoride.

11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity:	No data available.	
Ingredient	CAS #	Toxicological Data
Halogenated hydrocarbon	811-97-2	No data available

12. ECOLOGICAL INFORMATION

Ingredient	CAS #	Toxicological Data
Degradability:	Not considered biodegradable; 100% volatile.	
Mobility:	No data available	
Ecological Toxicity:	Presents little or no hazard to the aquatic environment.	

No data available

Inhalation LC50 (4h) Rat > 500000 ppm

13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations. 14. TRANSPORTATION INFORMATION Hazard Class Agency **UN Number Proper Shipping name Packing Group** DOT UN3159 1,1,1,2-Tetrafluoroethane 2.2 9 IATA ID8000 Consumer Commodity IMDG UN3159 1,1,1,2-Tetrafluoroethane 2.2 15. REGULATORY INFORMATION Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below: COMPONENT % BY WEIGHT CAS# **Regulatory Body** No components listed in this section. SARA Section 313 Warning: This product may contain chemicals known to the State of California to cause cancer. See list below. No components listed in this section. Prop65 Cancer Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below. No components listed in this section. Prop65 Birth Defects All components of this product are listed on the TSCA inventory. **16. OTHER INFORMATION**

Other Information : MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 06/03/15

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.