

Modified Mayer's Hematoxylin

1. Identification

Product Name: Modified Mayer's Hematoxylin Synonyms: N/A Recommended Use: N/A

Manufacturer/Supplier: Avantik

19 Chapin Road - Building C Pine Brook NJ 07058 (800) 783-9424

Item #: RS4427-250,500

Restrictions on Use: N/A In Case of Emergency: Chemtrec US 1-800-424-9300

2. Hazards Identification

OSHA Hazard Classification(s):

Skin Irritation - Category 2 Eye Damage - Category 1 Specific Target Organ Toxicity (repeated exposure) - Category 2 Toxic to Reproduction - Category 2

Signal Word: Danger

Hazard Statement(s): Causes skin irritation. Causes serious eye damage. May cause damage to organs (kidneys) through prolonged or repeated exposure. Suspected of damaging fertility of the unborn child.

Pictogram(s):



Precautionary Statement(s): Prevention: Wash body thoroughly after handling. Wear protective gloves. Wear eye protection, face protection. Do not breathe dust, vapors. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection.

Response: If on skin: Wash with plenty of water. Specific treatment (see first aid section on this label). If skin irritation or rash occurs: Get medical attention. Take off all contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing Immediately call a doctor. Call a doctor if you feel unwell. If exposed or concerned: Get medical attention.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local regulations. Descriptions of Hazards not otherwise classified: N/A Percent of mixture with unknown acute toxicity: N/A

3. Composition and Information on Ingredients

Chemical Name	Common Name	CAS #	Concentration %
Water		7732-18-5	Trade Secret
Hematoxylin		517-28-2	Trade Secret
Aluminum Ammonium Sulfate		7784-26-1	Trade Secret
Ethylene Glycol		107-21-1	Trade Secret
Glacial Acetic Acid		64-19-7	Trade Secret
Dimethyl Sulfoxide		67-68-5	Trade Secret
Propylene Glycol		57-55-6	Trade Secret

4. First Aid Measures



Eye Contact: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: If on skin (or hair): Take off immediately all contaminated clothing and wash before reuse. Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.

Inhalation: Remove to fresh air; give artificial respiration if breathing has stopped. Get medical advice/attention if you feel unwell. **Ingestion:** Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Get medical attention.

Symptoms: Irritation eyes, nose, throat; headache, dizziness. Long term exposure may have effects on kidneys.

Recommendations for immediate medical care/special treatment: Get medical advice/attention if you feel unwell.

5. Fire- Fighting Measures

Extinguishing Media: Dry chemical, carbon dioxide, alcohol foam, water.

Fire Hazards (Chemical): Not flammable.

Special Protective Equipment: Fire fighters should use self-contained breathing apparatus and protective clothing.

Precautions for Firefighters: Carbon monoxide and unidentified organic compounds may be formed during combustion.

6. Accidental Release Measures

Emergency Procedures: Evacuate the area of all unnecessary personnel. Wear suitable protective equipment. Eliminate all sources of ignition and provide ventilation.

Protective Equipment: See section 8

Environmental Precautions: Prevent release to the environment by using barriers.

Containment and Clean-Up Procedures: Use barriers to prevent spreading. Collect spill in container. Call waste authorities.

7. Handling and Storage

Handling: Do not breathe vapors. Do not eat, drink or smoke when using this product. **Storage:** Store locked up. Store in a well-ventilated, cool place.

8. Exposure Controls/Personal Protection

OSHA Permissible Exposure Limits (PELs):

Reagent	CAS #	OSHA PEL TWA
Glacial Acetic Acid	64-19-7	10ppm, 25 mg/m3

ACGIH Threshold Limit Values (TLVs):

Reagent	CAS #	ACGIH PEL TLV	ACGIH STEL
Glacial Acetic Acid	64-19-7	10ppm, 25mg/m3	15ppm, 37 mg/m3

Engineering Controls: Use in a well ventilated area to prevent exposure. Maintain eyewash fountain and quick-drench facilities in work areas.

Personal Protective Measures: Wear gloves, lab coat, eye protection and impervious footwear. Contact lenses should not be worn when working with this material.

Special PPE Requirements: If ventilation hood not available wear respirator.

9. Physical and Chemical Properties Section

Appearance: Dark Violet, Liquid Molecular Weight: N/A Molecular Formula: N/A pH: N/A



Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flash Point: N/A Specific Gravity/Relative Density: N/A Odor: N/A **Odor Threshold: N/A** Color: Dark Violet Flammability (solid/gas): N/A Vapor Density: N/A Upper/Lower flammability or explosive limits: N/A Vapor Pressure: N/A **Evaporation Rate: N/A** Partition Coefficient: n-octanol/water: N/A Viscosity: N/A Auto-ignition temperature: N/A Solubility: Soluble in water Decomposition Temperature: N/A

10. Stability and Reactivity

Reactivity: Chemical Stability: Stable Conditions of Stability/Instability: N/A Stabilizers needed: None Safety issue indicated by appearance change: N/A Other: N/A Hazardous Reactions: N/A Hazardous Reactions: N/A Hazardous Polymerization: Does not occur Conditions to avoid: N/A Classes of Incompatible Materials: Oxidizers, Strong Acids, Strong Bases Hazardous Decomposition Products: Thermal-oxidation degradation can produce oxides of carbon. Toxic gases and vapors (I.e. Carbon monoxide) may be released in a fire.

11. Toxicological Information

Likely Routes of Exposure

Eyes: Irritation. May cause permanent damage. Skin: Irritation. Inhalation: Dizziness, headache. Irritation to nose, throat, mucous membranes and respiratory system. Ingestion: Nausea. May be harmful if swallowed.

Signs or Symptoms of Exposure: Nausea.

Effects from short term exposure (delayed, immediate, chronic): Irritation to the eyes, nose, throat; headache, dizziness, nausea.

Acute Toxicity (Numerical Measures): Ethylene Glycol: LD50 (oral, cat) = 1650 mg/kg ; Glacial Acetic Acid: LD50 (rabbit, skin) = 1060mg/kg ; Glacial Acetic Acid: LC50 (inhalation, mouse) = 5620 ppm/1H Carcinogenicity (NTP, IARC, OSHA): N/A

12. Ecological Information

Ecotoxicity: N/A Persistence and degradability: N/A



Bioaccumulation Potential (octanol-water partition coefficient, BCF): N/A Mobility in the soil: N/A Adverse Environmental Effects: N/A

13. Disposal Considerations

Recommended Disposal Containers: Check with your local waste authorities*

Recommended Disposal Methods: Do not dispose of in drains, check with your local waste authorities.*

Physical/Chemical Properties affecting Disposal: See section 2 and section 9 applicable information.*

Special Precautions for Landfill and Incineration Activities: Check with your local waste authorities.*

Waste Stream: Consult your local or regional authorities.*


14. Transport Information

UN Number: Not regulated. UN Proper Shipping Name: Transport Hazard Class(es): Packing Group Number: Environmental Hazards (IMDG code): Marine Pollutant: Transport in Bulk (IBC Code): Special Transport Precautions:

15. Regulatory Information

OSHA: DOT: EPA: CPSC:





Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.