

Optik Bluing Solution Type 2

1. Identification

Product Name: Optik Bluing Solution Type 2

Item #: RS4368-B

Synonyms: None

Recommended Use: Stains

Restrictions on Use: N/A

Supplier:

In Case of Emergency:

Avantik

Chemtrec US 1-800-424-9300

19 Chapin Road - Building C

Pine Brook, NJ 07058

(800) 783-9424

2. Hazards Identification

OSHA Hazard Classification(s):

No OSHA Hazard Classifications Applicable

Signal Word: N/A

Hazard Statement(s): N/A

Pictogram(s): N/A

Precautionary Statement(s): N/A

Descriptions of Hazards not otherwise classified: N/A

Percent of mixture with unknown acute toxicity: N/A

3. Composition and Information on Ingredients

Chemical Name	Common Name	CAS #	Concentration %
Water		7732-18-5	> 99%
Sodium bicarbonate		144-55-8	< 1%
Magnesium sulfate		7487-88-9	< 1%

4. First Aid Measures

Eye Contact: Flush eyes with water as a precaution.

Skin Contact: Wash off with plenty of water. Remove contaminated clothing and launder before reuse as a precaution.

Inhalation: Move person to fresh air; give artificial respiration if breathing has stopped.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Get medical attention if discomfort occurs.

Symptoms: N/A

Recommendations for immediate medical care/special treatment: If exposure by any route causes irritation get medical advice/attention.

5. Fire- Fighting Measures

Extinguishing Media: Dry chemical, carbon dioxide, alcohol foam.

Fire Hazards (Chemical): N/A

Special Protective Equipment: Fire fighters should use self-contained breathing apparatus and protective clothing.

Precautions for Firefighters: Fire fighters should use self-contained breathing apparatus and protective clothing.

6. Accidental Release Measures

Emergency Procedures: Evacuate the area of all unnecessary personnel. Wear suitable protective equipment. Eliminate all sources of ignition and provide ventilation.

Protective Equipment: See section 8

Environmental Precautions: Prevent release to the environment by using barriers.

Containment and Clean-Up Procedures: Use barriers to prevent spreading. Collect spill in container. Call waste authorities.

Optik Bluing Solution Type 2

7. Handling and Storage

Handling: Do not breathe vapors. Do not eat, drink or smoke when using this product.

Storage: Store in a well-ventilated place. Keep cool.

8. Exposure Controls/Personal Protection

OSHA Permissible Exposure Limits (PELs):

Reagent	CAS #	OSHA PEL TWA
N/A		

ACGIH Threshold Limit Values (TLVs):

Reagent	CAS #	ACGIH PEL TLV	ACGIH STEL
N/A			

Engineering Controls: Use in a well ventilated area to prevent exposure. Maintain eyewash fountain and quick-drench facilities in work areas.

Personal Protective Measures: Wear gloves, lab coat, eye protection and impervious footwear. Contact lenses should not be worn when working with this material.

Special PPE Requirements: If ventilation hood not available wear respirator.

9. Physical and Chemical Properties Section

Appearance: Colorless, Colorless liquid

Molecular Weight: N/A

Molecular Formula: N/A

pH: N/A

Boiling Point and Boiling Range: 100°C

Melting Point/Freezing Point: N/A

Flash Point: N/A

Specific Gravity/Relative Density: N/A

Odor: N/A

Odor Threshold: N/A

Color: Colorless

Flammability (solid/gas): N/A

Vapor Density: N/A

Upper/Lower flammability or explosive limits: N/A

Vapor Pressure: N/A

Evaporation Rate: N/A

Partition Coefficient: n-octanol/water: N/A

Viscosity: N/A

Auto-ignition temperature: N/A

Solubility: Miscible in water

Decomposition Temperature: N/A

10. Stability and Reactivity

Reactivity: N/A

Chemical Stability: Stable

Conditions of Stability/Instability: None

Stabilizers needed: None

Safety issue indicated by appearance change: N/A

Optik Bluing Solution Type 2

Other: N/A

Hazardous Reactions: N/A

Hazardous Polymerization: Does not occur

Conditions to avoid: N/A

Classes of Incompatible Materials: Oxidizers, Strong Acids, Strong Bases

Hazardous Decomposition Products: Thermal-oxidation degradation can produce oxides of carbon. Toxic gases and vapors (I.e. Carbon monoxide) may be released in a fire.

11. Toxicological Information

Likely Routes of Exposure

Eyes: May cause irritation with redness, pain and possible corneal damage.

Skin: May cause irritation with redness and pain.

Inhalation: May cause irritation of the mucous membranes with sore throat and coughing.

Ingestion:

Signs or Symptoms of Exposure: See above conditions.

Effects from short term exposure (delayed, immediate, chronic): Irritation to the eyes, nose, throat; headache, dizziness, nausea.

Acute Toxicity (Numerical Measures):

Carcinogenicity (NTP, IARC, OSHA): Not listed as a carcinogen.

12. Ecological Information

Ecotoxicity:

Persistence and degradability:

Bioaccumulation Potential (octanol-water partition coefficient, BCF):

Mobility in the soil:

Adverse Environmental Effects:

13. Disposal Considerations

Recommended Disposal Containers: Check with your local waste authorities*

Recommended Disposal Methods: Do not dispose of in drains, check with your local waste authorities.*

Physical/Chemical Properties affecting Disposal: See section 2 and section 9 applicable information.*

Special Precautions for Landfill and Incineration Activities: Check with your local waste authorities.*

Waste Stream: Consult your local or regional authorities.*

14. Transport Information

UN Number: Not regulated.

UN Proper Shipping Name:

Transport Hazard Class(es):

Packing Group Number:

Environmental Hazards (IMDG code):

Marine Pollutant:

Transport in Bulk (IBC Code):

Special Transport Precautions:

15. Regulatory Information

OSHA:

DOT:

EPA:

CPSC:

Optik Bluing Solution Type 2


16. Other Information

Revision Date: 11/14/2014

NFPA

Health	1
Fire Hazard	0
Reactivity	0
Specific Hazard	

National Fire Protection Association (USA) NFPA



HMIS

Health	1
Flammability	0
Physical Hazard	0
Personal Protection	

Hazardous Material Information System HMIS

Health	1
Flammability	0
Physical Hazard	0
Personal Protection	

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.