

Optik Hematoxylin Type 1

1. Identification

Product Name: Optik Hematoxylin Type 1

Item #: RS4358-A

Synonyms: N/A

Recommended Use: Biological Stain

Restrictions on Use: N/A

Manufacturer/Supplier:

In Case of Emergency:

Avantik

Chemtrec US 1-800-424-9300

19 Chapin Road - Building C

Chemtrec International 703-527-3887

Pine Brook, NJ 07058

(800) 783-9424

2. Hazards Identification

OSHA Hazard Classification(s):

Skin Irritation - Category 2

Eye Damage - Category 1

Specific Target Organ Toxicity (repeated exposure) - Category 2

Signal Word: Danger

Hazard Statement(s): Causes skin irritation. Causes serious eye damage. May cause damage to organs (kidney) through prolonged or repeated exposure.

Pictogram(s):



Precautionary Statement(s): Prevention: Wash body thoroughly after handling. Wear protective gloves. Wear eye protection, face protection. Do not breathe dust, vapors.

Response: If on skin: Wash with plenty of water. Specific treatment (see first aid section on this label). If skin irritation or rash occurs: Get medical attention. Take off all contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing Immediately call a doctor. Call a doctor if you feel unwell.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local regulations.

Descriptions of Hazards not otherwise classified: N/A

Percent of mixture with unknown acute toxicity: N/A

3. Composition and Information on Ingredients

Chemical Name	Common Name	CAS #	Concentration %
Ethylene Glycol		107-21-1	Trade Secret
Water		7732-18-5	Trade Secret
Aluminum Salt(s)		Trade Secret	Trade Secret

4. First Aid Measures

Eye Contact: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: If on skin (or hair): Take off immediately all contaminated clothing and wash before reuse. Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.

Inhalation: Remove to fresh air; give artificial respiration if breathing has stopped. Get medical advice/attention if you feel unwell.

Ingestion: Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Get medical attention.

Symptoms: Irritation eyes, nose, throat; headache, dizziness

Hematoxylin

Recommendations for immediate medical care/special treatment: Get medical advice/attention if you feel unwell.

5. Fire- Fighting Measures

Extinguishing Media: Dry chemical, carbon dioxide, alcohol foam, water

Fire Hazards (Chemical): Not flammable.

Special Protective Equipment: Fire fighters should use self-contained breathing apparatus and protective clothing.

Precautions for Firefighters: Fire fighters should use self-contained breathing apparatus and protective clothing.

6. Accidental Release Measures

Emergency Procedures: Evacuate the area of all unnecessary personnel. Wear suitable protective equipment. Eliminate all sources of ignition and provide ventilation.

Protective Equipment: See section 8

Environmental Precautions: Prevent release to the environment by using barriers.

Containment and Clean-Up Procedures: Use barriers to prevent spreading. Collect spill in container. Call waste authorities.

7. Handling and Storage

Handling: Do not breathe vapors. Do not eat, drink or smoke when using this product.

Storage: Store locked up. Store in a cool, well ventilated place. Keep away from sparks and open flame. Keep container tightly sealed when not in use.

8. Exposure Controls/Personal Protection

OSHA Permissible Exposure Limits (PELs):

Reagent	CAS #	OSHA PEL TWA
N/A		

ACGIH Threshold Limit Values (TLVs):

Reagent	CAS #	ACGIH PEL TLV	ACGIH STEL
N/A			

Engineering Controls: Use in a well ventilated area to prevent exposure. Maintain eyewash fountain and quick-drench facilities in work areas.

Personal Protective Measures: Wear gloves, lab coat, eye protection and impervious footwear. Contact lenses should not be worn when working with this material.

Special PPE Requirements: If ventilation hood not available wear respirator.

9. Physical and Chemical Properties Section

Appearance: Dark Violet, Liquid

Molecular Weight: N/A

Molecular Formula: N/A

pH: 2.2-2.4

Boiling Point and Boiling Range: N/A

Melting Point/Freezing Point: N/A

Flash Point: N/A

Specific Gravity/Relative Density: N/A

Odor: N/A

Odor Threshold: N/A

Color: Dark Violet

Flammability (solid/gas): N/A

Vapor Density: N/A

Hematoxylin

Upper/Lower flammability or explosive limits: N/A

Vapor Pressure: N/A

Evaporation Rate: N/A

Partition Coefficient: n-octanol/water: N/A

Viscosity: N/A

Auto-ignition temperature: N/A

Solubility: Soluble in water

Decomposition Temperature: N/A

10. Stability and Reactivity

Reactivity:

Chemical Stability: Stable

Conditions of Stability/Instability: Stable under normal conditions of temperature and pressure.

Stabilizers needed: None

Safety issue indicated by appearance change: N/A

Other: N/A

Hazardous Reactions: N/A

Hazardous Polymerization: Does not occur

Conditions to avoid: N/A

Classes of Incompatible Materials: Oxidizers, Strong Acids, Strong Bases

Hazardous Decomposition Products: Thermal-oxidation degradation can produce oxides of carbon. Toxic gases and vapors (I.e. Carbon monoxide) may be released in a fire.

11. Toxicological Information

Likely Routes of Exposure

Eyes: Irritation. May cause permanent damage.

Skin: Prolonged exposure may cause irritation, redness, swelling, drying.

Inhalation: Dizziness, headache. Irritation to nose, throat, mucous membranes and respiratory system.

Ingestion: Nausea. May cause gastrointestinal irritation and diarrhea. Prolonged ingestion may cause damage to kidneys.

Signs or Symptoms of Exposure: Nausea.

Effects from short term exposure (delayed, immediate, chronic): Irritation to the eyes, nose, throat; headache, dizziness, nausea.

Acute Toxicity (Numerical Measures): Select Glycol: LD50 (oral, cat) = 1650 mg/kg ; Glacial Acetic Acid: LD50 (rabbit, skin) = 1060mg/kg ;

Select Acid: LC50 (inhalation, mouse) = 5620 ppm/1H

Carcinogenicity (NTP, IARC, OSHA): N/A

12. Ecological Information

Ecotoxicity: N/A

Persistence and degradability: N/A

Bioaccumulation Potential (octanol-water partition coefficient, BCF): N/A

Mobility in the soil: N/A

Adverse Environmental Effects: May have adverse environmental affects.

13. Disposal Considerations

Recommended Disposal Containers: Check with your local waste authorities*

Recommended Disposal Methods: Do not dispose of in drains, check with your local waste authorities.*

Physical/Chemical Properties affecting Disposal: See section 2 and section 9 applicable information.*

Special Precautions for Landfill and Incineration Activities: Check with your local waste authorities.*

Hematoxylin

Waste Stream: Consult your local or regional authorities.*

14. Transport Information

UN Number: Not regulated

UN Proper Shipping Name:

Transport Hazard Class(es):

Packing Group Number:

Environmental Hazards (IMDG code):

Marine Pollutant:

Transport in Bulk (IBC Code):

Special Transport Precautions:

15. Regulatory Information

OSHA:

DOT:

EPA:

CPSC:

Hematoxylin


16. Other Information

Revision Date: 08/21/2014

NFPA

Health	1
Fire Hazard	1
Reactivity	0
Specific Hazard	

National Fire Protection Association (USA) NFPA



HMIS

Health	1
Flammability	1
Physical Hazard	0
Personal Protection	1

Hazardous Material Information System HMIS

Health	1
Flammability	1
Physical Hazard	0
Personal Protection	1

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.