

Date Issued: June 27, 2013
Supersedes Date: June 15, 2012

# **SAFETY DATA SHEET**

SALLII DATA SILLI							
IDEN	NTIFICATIO	N AND EN	⁄IERGI	ENCY IN	FORMATI	ON	
Product Name	Product Name Shur/Mark Laboratory Marker, Black						
Product Code (Catalog	Number)	MP-B (Cat	alog num	ber change o	nly-previously I	H-MP-B)	
Product Category (Chemical solvent base ink Name)				ζ			
Product Appearance and Odor thin liquid with slight pungent odor							
Emergency Notification	n	Chem-Te	l 1-800	)-255-392	4		
COMPONENTS AND HAZARD INFORMATION							
Component	CAS 1	No.	%	OSH	A TWA	os	HA STEL
				ppm	mg/m3	ppm	
cyclohexanone	108-9		18	25	NE	NE	NE
proylene glycol methyl ether 107-98		3-2	40	100/8hr workdy	NE NE	NE	NE
diacetone alcohol	123-42	2-2	31	50	NE	NE	NE
vinyl resin	25086	-48-0	4	NE	NE	NE	NE
solvent black 7 8005-0		02-5	6	NE	15*	NE	NE
* "free dust" not bound in paint/ink matrix							
		PHYSIC	AL DA	<b>ATA</b>			
THE FOLLOWING DA	ATA ARE AP BE USED FO					S AND S	HOULD NOT
Boiling Range 248°F (120°C) – 340°F (171°C)	Specific Gravity <1.0		Molecular Weight		Veight	<b>Viscosity</b> 12.5 SECS FORD Cup	
Percent Volatile by Volume 85	C deg	Vapor Pressure @20 C degrees 15		Vapor Density (Air = 1) 35		Pour, Congealing or Melting Point	
Solubility in Water @1 ATM and 25°C (77°F) partial		-	Evaporation Rate @1 ATM and (77°F) (n-Butyl Acetate =1) slower than ether			25°C	рН
FIRE AND EXPLOSION HAZARD INFORMATION							
Flash Point (Minimum 89°F	) Autoigni	eratur	re Tes	st <b>Mode</b> TCC	LEL NE	UEL NE	

	National Fire	Protection As	ssociation (NFPA) — Hazard Identification		
Health 2	Flammability 3	Reactivity 0	Basis		
Handlin	g Precautions				
Flamma	ble or Explosive	Limits (Appro	oximate Percent by Volume in Air)		
	i <b>shing Media</b> <sub>2</sub> , dry chemical, wa	ter spray			
<b>Fire Fig</b> l	hting Procedures				
Decomposition Products Under Fire Condition					
"Empty"	Container Warn	ing			
Unusual NA	Fire and Explos	ion Hazards			
		HEALTH AN	D HAZARD INFORMATION		
Variabil	ity Among Indivi	duals			
	ad symptoms of ov e, dizziness, nausea		oughing, eye, throat irritation		
slight to s	f Overexposure severe irritation to ervous system	eyes and muc	ous membranes of nose and throat, dermatitis, affects		
Nature of Hazard and Toxicity Information					
Pre-existing Medical Conditions which may be Aggravated by Exposure					
Threshold Limit Value					
Health Hazards					
PRIMARY ROUTES OF ENTRY AND EMERGENCY AND FIRST AID PROCEDURES					
Eye Con	tact				
<b>Skin</b> wash wit	ch copious amoun	ts of water			

т .	1	- 1	•	
ln	h	ЯI	latior	۱

seek fresh air, give artificial respiration if not breathing

### Ingestion

call physician

### SEEK MEDICAL TREATMENT IF DISCOMFORT PERSISTS.

REACTIVITY					
Stability stable	Incompatibility do not mix with strong oxidants	Hazardous Decomposition Products carbon monoxide, carbon dioxide, and unidentified organic combustion products			
Conditions to Avoid heat, open flame and sparks	Hazardous Polymerization will not occur	Materials to Avoid			

### ENVIRONMENTAL INFORMATION

### Steps to be Taken in Case Material is Released or Spilled

Remove all ignition sources, ventilate area, use absorbent material to clean spill.

### **Disposal**

Dispose of waste in accordance with local and federal regulations.

### **Protective Gear**

NNR

### Precautions to be taken in handling and storage

Keep away from heat, fire and strong oxidants. Store in cool place (room temperature). Use adequate ventilation.

THE FOLLOWING INFORMATION MAY BE USEFUL IN COMPLYING WITH VARIOUS STATE AND FEDERAL LAWS AND REGULATIONS UNDER VARIOUS ENVIRONMENTAL STATUTES.

Reportable Quantity (RQ), EPA Regulation 40 CFR 302 (CERCLA Section 102)

Threshold Planning Quantity (TPQ), EPA Regulation 40 CFR 355 (SARA Sections 301-304)

Toxic Chemical Release Reporting, EPA Regulation 40 CFR 372 (SARA Section 313)

Hazardous Chemical Reporting, EPA Regulation 40 CFR 370 (SARA Sections 311-312)

## SPECIAL STATE NOTIFICATIONS

### PROTECTION AND PRECAUTIONS

None should be needed.

# TRANSPORTATION AND OSHA RELATED LABEL INFORMATION Transportation Incident Information U.S. DOT Hazardous Materials Shipping Description UN1210 - flammable liquid OSHA Required Label Information WHMIS (Canada only) B3

TBS – A Division of General Data Healthcare, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose.

TBS – A Division of General Data Healthcare, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, TBS – A Division of General Data Healthcare, Inc. will not be responsible for damages resulting from the use of or reliance upon this information.

**END OF SDS**